FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: February 3, 1993 Date Received: February 1, 1993 Project: 7238, Metro Self Monitor, PO #M27516

RESULTS FROM THE ANALYSIS OF WATER SAMPLE FOR CHROMIUM, COPPER, NICKEL AND ZINC

Results Reported as µg/mL (ppm)

Sample ID	<u>Chromium</u>	Copper	<u>Nickel</u>	Zinc
M27516	1.1	0.26	0.88	0.32
Quality Assurance				
Blank	<0.1	< 0.05	< 0.05	< 0.05
M27516 (Duplicate)	1.1	0.26	0.90	0.31
M27516 (Matrix Spike) % Recovery	101%	96%	105%	99%
M27516 (Matrix Spike Duplicate) % Recovery	100%	95%	104%	98%
Spike Blank % Recovery	105%	100%	111%	103%
Spike Level	5. 15. 15.	5	10	5

FRIEDMAN & BRUYA, INC. 3008-B 16th Avenue West Seattle, WA 98119

SAMPLE CHAIN OF CUSTODY

Send Report To: ALAS	3546 COPPER	WORKS	Contact_	Gerele	Thompso;	J				
Address Y.o. Box City, State, Zip SEOTT	3546	4			· · · · · · · · · · · · · · · · · · ·					
Phone # (206) 623- 5	800		Dute	1/28						
SITE NO.	PROJECT NAME					PURCHASE ORDER #				
7238	metro self	· monito	2		m 27516					
SAMPLERS (signature)			n	T	CT LOCATION					
Diamel S. Co				3200 GHE AVE. SOUTH						
REMARKS		· · · · · · · · · · · · · · · · · · ·		۵	Dispose after : Return Sample	30 days				
•					Call for Instru	ctions				
SAMPLE #	Date/Time Sampled	Type of Sample	# of Jars	Lab Sample #	Analyses Requeste		-			
M 27516	1/28/93 7:00	WATER	1	36802	CB CU	Ni,Z	H			
		-			ļ .					
	·				·					
127										
						,				
				ļ						
					-					
			- 							
SIGNATURE	PRINT NAME	<u> </u>	COMP	ANY		Date	Time			
Rollinguished by	- Genal Tho	r>PSUN	ALASKA	N Corner	Worke 2/1	123	9:48			
Received by:	CPH	ICKS	FR	35		1.93	10:00AA			
Relinquished by:										
Received by:										

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3008-B 16th Avenue West Seattle, WA 98119 FAX: (206) 283-5044

DUPLICATE COPY

February 3, 1993

INVOICE #93ACU0203-1

Alaskan Copper Works 628 South Hanford Seattle, WA 98134

RE: Project 7238, Metro Self Monitor, PO #M27516: Results of the testing requested by Gerry Thompson, Project Leader and submitted on February 1, 1993.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman James E. Bruya, Ph.D. (206) 285-8282 3008-B 16th Avenue West Seattle, WA 98119 FAX: (206) 283-5044

February 3, 1993

Gerry Thompson, Project Leader Alaskan Copper Works 628 South Hanford Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on February 1, 1993 from Project 7238, Metro Self Monitor, PO #M27516.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

Mark Z Perin Chemist

MZP/dp

Enclosures